



SDS Revision Date:

Safety Data Sheet Industrial Gear Lube All Grades

September 3, 2015

1. Identification

1.1. Product identifier

Product Identity

Industrial Gear Lube All Grades

Alternate Names

Industrial Gear Lube 100 EP, Industrial Gear Lube 1000 EP, Industrial Gear Lube 140 Non Drip, Industrial Gear Lube 1400 EP, Industrial Gear Lube 150 EP, Industrial Gear Lube 1500 EP, Industrial Gear Lube 2 EP, Industrial Gear Lube 220 EP, Industrial Gear Lube 3 EP, Industrial Gear Lube 320 EP, Industrial Gear Lube 3200 EP, Industrial Gear Lube 46 EP, Industrial Gear Lube 460 EP, Industrial Gear Lube 5 EP, Industrial Gear Lube 500, Industrial Gear Lube 68 EP, Industrial Gear Lube 68 EP Non Drip, Industrial Gear Lube 680 EP, Industrial Gear Lube 8 EP, Industrial Gear Lube 90-140, Industrial Gear Lube 90-140 ND, Industrial Gear Lube AGMA #4 EP, Industrial Gear Lube AGMA 4 EP, Industrial Gear Lube SAE 80W-90, Industrial Gear Lube SAE 90, Industrial Gear Lube SAE 90 Non Drip

1.2. Relevant identified uses of the substance or mixture and uses advised against

Intended Use / Application Method

See Technical Data Sheet.

1.3. Details of the supplier of the safety data sheet

Company Name

Interlube Corporation
4646 Baker Avenue
Cincinnati, Ohio 45212

CHEMTREC (USA)

(800) 424-9300

Customer Service: Interlube Corporation

(513) 531-1777 Fax: (513) 531-0193

2. Hazard(s) identification

2.1. Classification of the substance or mixture

No applicable GHS categories.

2.2. Label elements

Using the Toxicity Data listed in section 11 and 12 the product is labeled as follows: *No applicable GHS categories.*

[Prevention]:

No GHS prevention statements

[Response]:

No GHS response statements

[Storage]:

No GHS storage statements

[Disposal]:

No GHS disposal statements



SDS Revision Date:

Safety Data Sheet Industrial Gear Lube All Grades

September 3, 2015

3. Composition/information on ingredients

This product contains the following substances that present a hazard within the meaning of the relevant State and Federal Hazardous Substances regulations.

Ingredient/Chemical Designations	Weight %	GHS Classification	Notes
Residual oils (petroleum), solvent-dewaxed; Baseoil-unspecified CAS Number: 0064742-62-7	25 - 50	Not Classified	[1]
Distillates (petroleum), solvent-dewaxed heavy paraffinic CAS Number: 0064742-65-0	25 - 50	Not Classified	[1]
Asphalt (petroleum) CAS Number: 0008052-42-4	10 - 25	Not Classified	[1][2]
Distillates (petroleum), hydrotreated heavy paraffinic CAS Number: 0064742-54-7	5 - 10	Asp. Tox. 1;H304	[1]

In accordance with paragraph (i) of §1910.1200, the specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret.

[1] Substance classified with a health or environmental hazard.

[2] Substance with a workplace exposure limit.

[3] PBT-substance or vPvB-substance.

*The full texts of the phrases are shown in Section 16.

4. First aid measures

4.1. Description of first aid measures

General

In all cases of doubt, or when symptoms persist, seek medical attention.
Never give anything by mouth to an unconscious person.

Inhalation

Remove to fresh air, keep patient warm and at rest. If breathing is irregular or stopped, give artificial respiration. If unconscious place in the recovery position and obtain immediate medical attention. Give nothing by mouth.

Eyes

Irrigate copiously with clean water for at least 15 minutes, holding the eyelids apart and seek medical attention.

Skin

Remove contaminated clothing. Wash skin thoroughly with soap and water or use a recognized skin cleanser.

Ingestion

If swallowed obtain immediate medical attention. Keep at rest. Do NOT induce vomiting.

4.2. Most important symptoms and effects, both acute and delayed

Overview

May cause slight eye irritation. Product is not expected to be a primary skin irritant but prolonged or repeated skin contact should be avoided. See section 2 for further details.

5. Fire-fighting measures

5.1. Extinguishing media

Water Fog, CO₂, Dry Chemicals, Foam.

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition: CO_x, SO_x, PO_x, and Asphyxiants.



Safety Data Sheet Industrial Gear Lube All Grades

SDS Revision Date:

September 3, 2015

5.3. Advice for fire-fighters

Dense smoke possible.

Treat as an oil fire. Wear self-contained breathing apparatus when in confined spaces.

ERG Guide No. ----

6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Put on appropriate personal protective equipment (see section 8).

6.2. Environmental precautions

Do not allow spills to enter drains or waterways.

Use good personal hygiene practices. Wash hands before eating, drinking, smoking or using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

6.3. Methods and material for containment and cleaning up

Contain spill. Treat as oil spill. Absorb on suitable media.

7. Handling and storage

7.1. Precautions for safe handling

See section 2 for further details. - [Prevention]:

7.2. Conditions for safe storage, including any incompatibilities

Avoid skin and eye contact. May be irritating to the eyes and skin on prolonged or repeated contact.

Incompatible materials: Strong acids and bases. Oxidizing agents.

See section 2 for further details. - [Storage]:

7.3. Specific end use(s)

No data available.

8. Exposure controls and personal protection

8.1. Control parameters

Exposure

CAS No.	Ingredient	Source	Value
0008052-42-4	Asphalt (petroleum)	OSHA	No Established Limit
		ACGIH	TWA: 0.5 mg/m32B
		NIOSH	Ca C 5 mg/m3 [15-minute]
		Supplier	No Established Limit
0064742-54-7	Distillates (petroleum), hydrotreated heavy paraffinic	OSHA	No Established Limit
		ACGIH	No Established Limit
		NIOSH	No Established Limit
		Supplier	No Established Limit



Safety Data Sheet

Industrial Gear Lube All Grades

SDS Revision Date:

September 3, 2015

0064742-62-7	Residual oils (petroleum), solvent-dewaxed; Baseoil-unspecified	OSHA	No Established Limit
		ACGIH	No Established Limit
		NIOSH	No Established Limit
		Supplier	No Established Limit
0064742-65-0	Distillates (petroleum), solvent-dewaxed heavy paraffinic	OSHA	No Established Limit
		ACGIH	No Established Limit
		NIOSH	No Established Limit
		Supplier	No Established Limit

Contains mineral oil. The exposure limits for oil mist are 5 mg/m³ OSHA PEL and 10 mg/m³ ACGIH.

Carcinogen Data

CAS No.	Ingredient	Source	Value
0008052-42-4	Asphalt (petroleum)	OSHA	Select Carcinogen: No
		NTP	Known: No; Suspected: No
		IARC	Group 1: No; Group 2a: No; Group 2b: Yes; Group 3: No; Group 4: No;
0064742-54-7	Distillates (petroleum), hydrotreated heavy paraffinic	OSHA	Select Carcinogen: No
		NTP	Known: No; Suspected: No
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;
0064742-62-7	Residual oils (petroleum), solvent-dewaxed; Baseoil-unspecified	OSHA	Select Carcinogen: No
		NTP	Known: No; Suspected: No
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;
0064742-65-0	Distillates (petroleum), solvent-dewaxed heavy paraffinic	OSHA	Select Carcinogen: No
		NTP	Known: No; Suspected: No
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;

8.2. Exposure controls

Respiratory

If workers are exposed to concentrations above the exposure limit they must use the appropriate, certified respirators.

Eyes

Protective safety glasses recommended

Skin

Skin protection is not required under normal use conditions.

Engineering Controls

Provide adequate ventilation. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates and any vapor below occupational exposure limits suitable respiratory protection must be worn.

Other Work Practices

Use good personal hygiene practices. Wash hands before eating, drinking, smoking or using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

See section 2 for further details. - [Prevention]:



SDS Revision Date:

Safety Data Sheet Industrial Gear Lube All Grades

September 3, 2015

9. Physical and chemical properties

Appearance	Dark Amber Liquid
Odor	Slight
Odor threshold	Not determined
pH	Not Measured
Melting point / freezing point	Not Measured
Initial boiling point and boiling range	Very High
Flash Point	> 400°F (COC)
Evaporation rate (Ether = 1)	Nil
Flammability (solid, gas)	Not Applicable
Upper/lower flammability or explosive limits	Lower Explosive Limit: Not Measured Upper Explosive Limit: Not Measured
Vapor pressure (Pa)	Nil at Room Temperature
Vapor Density	> 1
Specific Gravity	0.9
Solubility in Water	Nil
Partition coefficient n-octanol/water (Log Kow)	Not Measured
Auto-ignition temperature	Not Measured
Decomposition temperature	Not Measured
Viscosity (cSt)	Not Measured
Percent Volatile (by volume)	Nil

9.2. Other information

DMSO extract by IP346: Less than 3.0 wt % (mineral oil component only)

10. Stability and reactivity

10.1. Reactivity

Hazardous Polymerization will not occur.

10.2. Chemical stability

Stable under normal circumstances.

10.3. Possibility of hazardous reactions

No data available.

10.4. Conditions to avoid

No data available.

10.5. Incompatible materials

Strong acids and bases. Oxidizing agents.

10.6. Hazardous decomposition products

CO_x, SO_x, PO_x, and Asphyxiants.



SDS Revision Date:

Safety Data Sheet

Industrial Gear Lube All Grades

September 3, 2015

11. Toxicological information

Acute toxicity

Ingredient	Oral LD50, mg/kg	Skin LD50, mg/kg	Inhalation Vapor LC50, mg/L/4hr	Inhalation Dust/Mist LC50, mg/L/4hr	Inhalation Gas LC50, ppm
Residual oils (petroleum), solvent-dewaxed; Baseoil- unspecified - (64742-62-7)	No data available	No data available	No data available	No data available	No data available
Distillates (petroleum), solvent-dewaxed heavy paraffinic - (64742-65-0)	> 5,000.00, Rat - Category: NA	No data available	No data available	No data available	No data available
Asphalt (petroleum) - (8052-42-4)	No data available	No data available	No data available	No data available	No data available
Distillates (petroleum), hydrotreated heavy paraffinic - (64742-54-7)	> 5,000.00, Rat - Category: NA	No data available	No data available	No data available	No data available

Note: When no route specific LD50 data is available for an acute toxin, the converted acute toxicity point estimate was used in the calculation of the product's ATE (Acute Toxicity Estimate).

Classification	Category	Hazard Description
Acute toxicity (oral)	---	Not Applicable
Acute toxicity (dermal)	---	Not Applicable
Acute toxicity (inhalation)	---	Not Applicable
Skin corrosion/irritation	---	Not Applicable
Serious eye damage/irritation	---	Not Applicable
Respiratory sensitization	---	Not Applicable
Skin sensitization	---	Not Applicable
Germ cell mutagenicity	---	Not Applicable
Carcinogenicity	---	Not Applicable
Reproductive toxicity	---	Not Applicable
STOT-single exposure	---	Not Applicable
STOT-repeated exposure	---	Not Applicable
Aspiration hazard	---	Not Applicable



Safety Data Sheet Industrial Gear Lube All Grades

SDS Revision Date:

September 3, 2015

12. Ecological information

12.1. Toxicity

No additional information provided for this product. See Section 3 for chemical specific data.

Aquatic Ecotoxicity

Ingredient	96 hr LC50 fish, mg/l	48 hr EC50 crustacea, mg/l	ErC50 algae, mg/l
Residual oils (petroleum), solvent-dewaxed; Baseoil-unspecified - (64742-62-7)	Not Available	Not Available	Not Available
Distillates (petroleum), solvent-dewaxed heavy paraffinic - (64742-65-0)	5,000.00, Oncorhynchus mykiss	1,000.00, Daphnia magna	1,000.00 (96 hr), Scenedesmus subspicatus
Asphalt (petroleum) - (8052-42-4)	Not Available	Not Available	Not Available
Distillates (petroleum), hydrotreated heavy paraffinic - (64742-54-7)	5,000.00, Oncorhynchus mykiss	1,000.00, Daphnia magna	Not Available

12.2. Persistence and degradability

There is no data available on the preparation itself.

12.3. Bioaccumulative potential

Not Measured

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

This product contains no PBT/vPvB chemicals.

12.6. Other adverse effects

No data available.

13. Disposal considerations

13.1. Waste treatment methods

Observe all federal, state and local regulations when disposing of this substance.

14. Transport information

	DOT (Domestic Surface Transportation)	IMO / IMDG (Ocean Transportation)	ICAO/IATA
14.1. UN number	Not Applicable	Not Regulated	Not Regulated
14.2. UN proper shipping name	Not Regulated	Not Regulated	Not Regulated
14.3. Transport hazard class(es)	DOT Hazard Class: Not Applicable	IMDG: Not Applicable Sub Class: Not Applicable	Air Class: Not Applicable
14.4. Packing group	Not Applicable	Not Applicable	Not Applicable



SDS Revision Date:

Safety Data Sheet Industrial Gear Lube All Grades

September 3, 2015

14.5. Environmental hazards

IMDG Marine Pollutant: No

14.6. Special precautions for user

No further information

15. Regulatory information

Regulatory Overview The regulatory data in Section 15 is not intended to be all-inclusive, only selected regulations are represented.

Toxic Substance Control Act (TSCA) All components of this material are either listed or exempt from listing on the TSCA Inventory.

WHMIS Classification Not Regulated

US EPA Tier II Hazards

Fire: No

Sudden Release of Pressure: No

Reactive: No

Immediate (Acute): No

Delayed (Chronic): No

EPCRA 311/312 Chemicals and RQs:

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

EPCRA 302 Extremely Hazardous:

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

EPCRA 313 Toxic Chemicals:

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Proposition 65 - Carcinogens (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Proposition 65 - Developmental Toxins (>0.0%):

Toluene

Proposition 65 - Female Repro Toxins (>0.0%):

Toluene

Proposition 65 - Male Repro Toxins (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

New Jersey RTK Substances (>1%):

Asphalt (petroleum)

Pennsylvania RTK Substances (>1%):

Asphalt (petroleum)



SDS Revision Date:

Safety Data Sheet Industrial Gear Lube All Grades

September 3, 2015

16. Other information

The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, expressed or implied, is made with respect to the information contained herein. We accept no responsibility and disclaim all liability for any harmful effects which may be caused by exposure to our products. Customers/users of this product must comply with all applicable health and safety laws, regulations, and orders.

The full text of the phrases appearing in section 3 is:

H304 May be fatal if swallowed and enters airways.

The information presented in this material safety data sheet is, to the best of our knowledge and belief, accurate as of the revision date. Any information, data, and opinions herein are based upon information provided and available to us. Interlube Corporation makes no warranty or representation, express or implied, to any person, as to its accuracy, reliability, or completeness. INTERLUBE CORPORATION EXPRESSLY DISCLAIMS ALL WARRANTIES OF EVERY NATURE, INCLUDING WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE regarding any information, data, and opinions in this document and the use or suitability of the product described. The information, data, and opinions in this document are offered solely for the user's consideration, investigation, and verification. Any use of this material safety data sheet and the product described must be in accordance with all local, state, and federal laws and regulations.

End of Document